


Computer Science An Overview

13th Edition



Chapter 9 Database Systems

Chapter 9: Database Systems


- 9.1 Database Fundamentals
- 9.2 The Relational Model
- 9.3 Object-Oriented Databases
- 9.4 Maintaining Database Integrity
- 9.5 Traditional File Structures
- 9.6 Data Mining
- 9.7 Social Impact of Database Technology

9.1 Database Fundamentals


Database: A collection of data that is multidimensional in the sense that internal links between its entries make the information accessible from a variety of perspectives

Figure 9.1 A file versus a database organization

a. File-oriented information system



b. Database-oriented information system




The Role of Schemas

- **Schema:** A description of the structure of an entire database, used by database software to maintain the database
- **Subschema:** A description of only that portion of the database pertinent to a particular user's needs, used to prevent sensitive data from being accessed by unauthorized personnel

Database Management Systems

- **Database Management System (DBMS):** A software layer that manipulates a database in response to requests from applications
- **Distributed Database:** A database stored on multiple machines
 - DBMS will mask this organizational detail from its users
- **Data independence:** The ability to change the organization of a database without changing the application software that uses it

Figure 9.2 The conceptual layers of a database implementation



Database Models

- **Database model:** A conceptual view of a database
 - Relational database model
 - Object-oriented database model

9.2 The Relational Model

- **Relation:** A rectangular table
 - **Attribute:** A column in the table
 - **Tuple:** A row in the table

Figure 9.3 A relation containing employee information

Empl Id	Name	Address	SSN
25X15	Joe E. Baker	33 Nowhere St.	111223333
34Y70	Cheryl H. Clark	563 Downtown Ave.	999009999
23Y34	G. Jerry Smith	1555 Circle Dr.	111005555
•	•	•	•
•	•	•	•
•	•	•	•

Issues of Relational Design

- Avoid multiple concepts within one relation
 - Can lead to redundant data
 - Deleting a tuple could also delete necessary but unrelated information

Improving a Relational Design

- **Decomposition:** Dividing the columns of a relation into two or more relations, duplicating those columns necessary to maintain relationships
 - **Lossless** or **nonloss** decomposition: A “correct” decomposition that does not lose any information

Figure 9.4 A relation containing redundancy

Empl Id	Name	Address	SSN	Job Id	Job Title	Skill Code	Dept	Start Date	Term Date
25X15	Joe E. Baker	33 Nowhere St.	111223333	F5	Floor manager	FM3	Sales	9-1-2009	9-30-2010
25X15	Joe E. Baker	33 Nowhere St.	111223333	D7	Dept. head	K2	Sales	10-1-2010	*
34Y70	Cheryl H. Clark	563 Downtown Ave.	999009999	F5	Floor manager	FM3	Sales	10-1-2009	*
23Y34	G. Jerry Smith	1555 Circle Dr.	111005555	S25X	Secretary	T5	Personnel	3-1-1999	4-30-2010
23Y34	G. Jerry Smith	1555 Circle Dr.	111005555	S26Z	Secretary	T6	Accounting	5-1-2010	*
.	.	.	.	.	.	.	.	.	.
.	.	.	.	.	.	.	.	.	.
.	.	.	.	.	.	.	.	.	.

Figure 9.5 An employee database consisting of three relations

EMPLOYEE relation

Empl Id	Name	Address	SSN
25X15	Joe E. Baker	33 Nowhere St.	111223333
34Y70	Cheryl H. Clark	563 Downtown Ave.	999009999
23Y34	G. Jerry Smith	1555 Circle Dr.	111005555

JOB relation

Job Id	Job Title	Skill Code	Dept
S25X	Secretary	T5	Personnel
S26Z	Secretary	T6	Accounting
F5	Floor manager	FM3	Sales
•	•	•	•
•	•	•	•
•	•	•	•

ASSIGNMENT relation

Empl Id	Job Id	Start Date	Term Date
23Y34	S25X	3-1-1999	4-30-2010
34Y70	F5	10-1-2009	*
23Y34	S26Z	5-1-2010	*
•	•	•	•
•	•	•	•
•	•	•	•

Figure 9.6 Finding the departments in which employee 23Y34 has worked

EMPLOYEE relation

Empl Id	Name	Address	SSN
25X15	Joe E. Baker	33 Nowhere St.	111223333
34Y70	Cheryl H. Clark	563 Downtown Ave.	999009999
23Y34	G. Jerry Smith	1555 Circle Dr.	111005555
•	•	•	•
•	•	•	•
•	•	•	•

JOB relation

Job Id	Job Title	Skill Code	Dept
S25X	Secretary	T5	Personnel
S26Z	Secretary	T6	Accounting
F5	Floor manager	FM3	Sales
•	•	•	•
•	•	•	•
•	•	•	•


are contained
in the personnel
and accounting
departments.

ASSIGNMENT relation

Empl Id	Job Id	Start Date	Term Date
23Y34	S25X	3-1-1999	4-30-2010
34Y70	F5	10-1-2009	*
23Y34	S26Z	5-1-2010	*
•	•	•	•
•	•	•	•
•	•	•	•

The jobs held
by employee
23Y34

Figure 9.7 A relation and a proposed decomposition



Relational Operations

- **SELECT:** Choose rows
- **PROJECT:** Choose columns
- **JOIN:** Assemble information from two or more relations

Figure 9.8 The SELECT operation




Figure 9.9 The PROJECT operation




Figure 9.10 The JOIN operation




Figure 9.11 Another example of the JOIN operation





Figure 9.12 An application of the JOIN operation



Structured Query Language (SQL)

- Operations to manipulate tuples
 - insert
 - update
 - delete
 - select

SQL Examples

- ```
SELECT EmpId, Dept
FROM Assignment, Job
WHERE Assignment.JobId = Job.JobId
AND Assignment.TermData = '*';
```
- ```
INSERT INTO Employee
VALUES ('43212', 'Sue A. Burt',
      '33 Fair St.', '444661111');
```


SQL Examples (continued)

- `DELETE FROM Employee
WHERE Name = 'G. Jerry Smith';`
- `UPDATE Employee
SET Address = '1812 Napoleon Ave.'
WHERE Name = 'Joe E. Baker';`

9.3 Object-oriented Databases

- **Object-oriented Database:** A database constructed by applying the object-oriented paradigm
 - Each entity stored as a persistent object
 - Relationships indicated by links between objects
 - DBMS maintains inter-object links

Figure 9.13 The associations between objects in an object-oriented database



Advantages of Object-oriented Databases

- Matches design paradigm of object-oriented applications
- Intelligence can be built into attribute handlers
- Can handle exotic data types
 - Example: multimedia

9.4 Maintaining Database Integrity

- **Transaction:** A sequence of operations that must all happen together
 - Example: transferring money between bank accounts
- **Transaction log:** A non-volatile record of each transaction's activities, built before the transaction is allowed to execute
 - **Commit point:** The point at which a transaction has been recorded in the log
 - **Roll-back:** The process of undoing a transaction

Maintaining database integrity (continued)

- Simultaneous access problems
 - Incorrect summary problem
 - Lost update problem
- **Locking**: preventing others from accessing data being used by a transaction
 - **Shared** lock: used when reading data
 - **Exclusive** lock: used when altering data

9.5 Traditional File Structures

- **Sequential file:** A file whose contents can only be read in order
 - Reader must be able to detect end-of-file (EOF)
 - Data can be stored in logical records, sorted by a key field
 - Greatly increases the speed of batch updates

Figure 9.14 The structure of a simple employee file implemented as a text file





Figure 9.15 A function for merging two sequential files

```
def MergeFiles (InputFileA, InputFileB, OutputFile):  
    if (both input files at EOF):  
        Stop, with OutputFile empty  
  
    if (InputFileA not at EOF):  
        Declare its first record to be its current record  
  
    if (InputFileB not at EOF):  
        Declare its first record to be its current record  
  
    while (neither input file at EOF):  
        Put the current record with the “smaller” key field value in OutputFile  
        if (that current record is the last record in its corresponding input file):  
            Declare that input file to be at EOF  
        else:  
            Declare the next record in that input file to be the file’s current record  
  
    Starting with the current record in the input file that is not at EOF,  
    copy the remaining records to OutputFile
```


Figure 9.16 Applying the merge algorithm (Letters are used to represent entire records. The particular letter indicates the value of the record's key field.)



Indexed Files

- **Index:** A list of key values and the location of their associated records
 - Efficient way to quickly identify the location of a desired record
 - Index is stored as a separate file

Figure 9.17 Opening an indexed file



Hash Files

- Each record has a key field
- The storage space is divided into **buckets**
- A **hash function** computes a bucket number for each key value
- Each record is stored in the bucket corresponding to the hash of its key

Figure 9.18 Hashing the key field value 25X3Z to one of 41 buckets





Figure 9.19 The rudiments of a hashing system



Collisions in Hashing

- **Collision:** The case of two keys hashing to the same bucket
 - Major problem when table is over 75% full
 - Solution: increase number of buckets and rehash all data

9.6 Data Mining

- **Data Mining:** The area of computer science that deals with discovering patterns in collections of data
- **Data warehouse:** A static data collection to be mined
 - **Data cube:** Data presented from many perspectives to enable mining

Data Mining Strategies

- Class description
- Class discrimination
- Cluster analysis
- Association analysis
- Outlier analysis
- Sequential pattern analysis

9.7 Social Impact of Database Technology

- Problems
 - Massive amounts of personal data are being collected
 - Often without knowledge or meaningful consent of affected people
 - Data merging produces new, more invasive information
 - Errors are widely disseminated and hard to correct
- Remedies
 - Existing legal remedies often difficult to apply
 - Negative publicity may be more effective

Copyright



This work is protected by United States copyright laws and is provided solely for the use of instructors in teaching their courses and assessing student learning. dissemination or sale of any part of this work (including on the World Wide Web) will destroy the integrity of the work and is not permitted. The work and materials from it should never be made available to students except by instructors using the accompanying text in their classes. All recipients of this work are expected to abide by these restrictions and to honor the intended pedagogical purposes and the needs of other instructors who rely on these materials.